



THE
ULTIMATE
CRUSHING
SOLUTION


Mobile Cone Crusher

ITC-300




ITC-300 Mobile Cone Crusher

CRUSHER



The IROCK ITC-300 Cone Crusher is known for proven performance with its 44" cone. Offering high material capacity and throughput, large stockpile capacity, and customer focused features. The ITC-300 provides a high degree of control over the final product, making it the ideal portable secondary crusher.

Engine	VOLVO® D13 510 HP
Feed Opening	41" (1050 mm)
Feeder Belt Width	48" (1200 mm)
Hopper Volume	8.1 yd ³ (6.2 m ³)
Crusher Drive	Direct Drive
CSS Adjustment	Hydraulic
Transport Height	11' - 9.7" (3.6 m)
Transport Length	57' - 4" (17.5 m)
Transport Width	10' - 4" (3.15 m)
Weight	108,027 lb (49,000 kg) (est.)
Stockpile Height - Main Conveyor	12' - 9" (3887 mm)
Main Conveyor Belt Width	48" (1200 mm)



1 Heavy-duty steel hopper with adjustable feed rate via control panel, remote control or fully automatic regulation with feedback from the cone.



2 Built to be reliable in the toughest operating conditions, producing material ranging from $\frac{3}{8}$ " to 1 $\frac{3}{4}$ ".



3 Dynamic adjust-closed side setting (CSS) can be changed while operating, minimizing downtime.



Reversible magnet enables material separation from the source material.